

TARGET SETTING

**PAVEMENTS
PERFORMANCE MEASURES**



In accordance with 23 CFR 490, the Federal Highway Administration (FHWA) established performance measures for State Departments of Transportation (DOTs) to use in managing pavement performance on the National Highway System (NHS). The following is a list of the required performance measures for pavements.

Performance Measures
Percent of Interstate pavements in Good condition
Percent of Interstate pavements in Poor condition
Percent of non-Interstate NHS pavements in Good condition
Percent of non-Interstate NHS pavements in Poor condition

CONDITION BASED PERFORMANCE MEASURES

Data Collection Requirements:

- Starting January 1, 2018, pavement data collected on the Interstate must include International Roughness Index (IRI), percent cracking, rutting, and faulting. This data must be reported in the Highway Performance Monitoring System (HPMS) by April 15, 2019. This data will be gathered and re-submitted every year on a full extent basis.
- The same requirements become effective for non-Interstate NHS pavement data beginning January 1, 2020 with a HPMS report date of June 15, 2021. This data will be gathered and re-submitted at least every two years on a full extent basis.

Pavement Condition Determination:

Asphalt Pavement	Jointed Concrete Pavement (JCP)	Continuously Reinforced Concrete Pavement (CRCP)
IRI	IRI	IRI
Rutting	Faulting	--
Cracking %	Cracking %	Cracking %

- Good: All measures are in good condition
- Poor: 2 or more measures are in poor condition
- Fair: Everything else

Pavement Condition Thresholds:

	Good	Fair	Poor
IRI (inches/mile)	<95	95-170	>170
Rutting (inches)	<0.20	0.20-0.40	>0.40
Faulting (inches)	<0.10	0.10-0.15	>0.15
Cracking (%)	<5	5-20 (asphalt) 5-15 (JCP) 5-10 (CRCP)	>20 (asphalt) >15 (JCP) >10 (CRCP)

TARGET SETTING REQUIREMENTS**State DOTs:**

- Must establish targets, regardless of ownership, for the full extent of the Interstate and non-Interstate NHS.
- Must establish statewide 2- and 4-year targets for the non-Interstate NHS and 4-year targets for the Interstates by May 20, 2018 and report targets by October 1, 2018 in the Baseline Performance Period Report.
- May adjust 4-year targets at the Mid Performance Period Progress Report (October 1, 2020).
- State DOTs shall coordinate with relevant MPOs on the selection of targets to ensure consistency, to the maximum extent practicable.

Metropolitan Planning Organizations (MPOs):

- Shall support the relevant State DOT 4-year target or establish their own within 180 days after the State DOT target is established.
- Shall report their established targets to their respective State DOT in a manner that is documented and mutually agreed upon by both parties.
- Shall report baseline condition/performance and progress toward the achievement of their targets in the system performance report in the metropolitan transportation plan.

Other Information:

- State DOT targets should be determined from asset management analyses and procedures. The targets reflect investment strategies that aim to achieve a state of good repair over the life cycle of assets at minimum practicable cost.
- The minimum acceptable condition for interstate pavements is no more than 5% in poor condition. FHWA will make this determination using the data in HPMS by June 15 of each year. Any State DOT that does not meet the minimum condition will be required to obligate a portion of its National Highway Preservation Program (NHPP) and Surface Transportation Program (STP) funds to address interstate pavement conditions. The first assessment will occur in June 2019.

METHODOLOGY

The Current Condition and 2- and 4-Year Pavement Performance Targets for the non-Interstate NHS pavements were developed in accordance with the methodology presented in Appendix C of *FHWA*

Computation Procedure for the Pavement Condition Measures (FHWA-HIF-18-022) for use during the “transition” period. This methodology was also used to establish the Current Condition for Interstate pavements in Arkansas. Based on the *Discussion of Section 490.105(e)(7) Phase-in Requirements for Interstate Pavement Measures* the 4-Year Pavement Performance Target for Arkansas’ Interstate pavements was estimated. Factors that were taken into consideration as part of this estimation included the calculated Current Condition, Interstate projects that are anticipated to be completed by 2021, estimated deterioration rates for Interstate pavements, and the anticipated level of available funding.

Performance Rating	
	Current*
Percent of Interstate pavements in Good condition	77%
Percent of Interstate pavements in Poor condition	4%
Percent of non-Interstate NHS pavements in Good condition	52%
Percent of non-Interstate NHS pavements in Poor condition	8%
* Condition rating based on ARDOT’s 2017 HPMS pavement dataset.	

TARGETS

The proposed targets are not intended to be “aspirational”, but rather reflect a “realistic” approach to minimizing deterioration of the existing pavements on the Interstate and non-Interstate NHS in an environment where available resources are less than optimal. The targets represent what is attainable if the strategies and funding estimates in the Transportation Asset Management Plan (TAMP) are implemented.

Performance Targets		
	2-year	4-year
Percent of Interstate pavements in Good condition	N/A	79%
Percent of Interstate pavements in Poor condition	N/A	5%
Percent of non-Interstate NHS pavements in Good condition	48%	44%
Percent of non-Interstate NHS pavements in Poor condition	10%	12%